

Lady Denman Drive Entry





Entrance way finding directional signage facing Lady Denman Drive (North and South)

3mm Aluminium UV resistant
Non reflective
Attached to existing corner fence posts with a 600m length sign post secured with a 60mm sign post single bracket








841mm

Proposed onsite signage

Lady Denman Drive Entry






A1 size Conditions of Entry
3mm Aluminium UV resistant non
reflective - attached to existing fence
using eyelets
CCTV warning sign attached to street
light



Driveway





Driveway directional signage 3mm Aluminium UV resistant attached to existing wooden bollard





Guest Parking





Guest Parking Signs indicating authorised parking area 3mm Aluminium UV resistant


Non reflective

Attached to existing wooden bollards with a 300m length sign post secured with a 60mm sign post single bracket





Suite Wayfinding Signage



Individual Suite wayfinding signs to be installed at start of each footpath attached to the existing wood bollards

3mm Aluminium UV resistant


Non reflective

Attached to existing wooden bollards with a 300m length sign post secured with a 60mm sign post single bracket





Road Safety Signage









Sign posted on single 1.6m galvanised steel post - shared zone 10 Kmh, Speed Hump metal signs

1 x Ground screw 800mm will secure the steel post in the ground 5 x Aluminium Composite Panel CCTV will be displayed at the entry to site on the proposed light pole (non reflective), Plant room door and each utility storage shed















